Annex US.II, page 1

FORM PTÖ-1 (REV 11-98)	390 U.S. DEPAR	TMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER
TH	RANSMITTAL LETTER	TO THE UNITED STATES	
	DESIGNATED/ELECT	ED OFFICE (DO/EO/US)	U.S. APPLICATION NO. (If known, see 37 CFR 1.5)
	CONCERNING A FILIT	NG UNDER 35 U.S.C. 371	09/889724
INTERN	ATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
	OK 00/00088	2 March 2000	5 March 1999
TITLE	OF INVENTION Method ar of lic	nd apparatus for continu quid in an ultrasound ek	Jous homogenising of
APPLICA	ANT(S) FOR DO/EO/US for US		•
Annlican		6/ Hans H. Haraldsted. (for specific points of the following specific points of the following points o	
1.		s concerning a filing under 35 U.S.C. 371.	
2. X		NT submission of items concerning a filing under	35 U.S.C. 371.
3.	This express request to begin nation	al examination procedures (35 U.S.C. 371(f)) at an	y time rather than delay
4. X	•	he applicable time limit set in 35 U.S.C. 371(b) and Preliminary Examination was made by the 19th mo	
5. 🛪		ication as filed (35 U.S.C. 371(c)(2))	· · ·
		(required only if not transmitted by the Intern	ational Bureau).
		the International Bureau.	
<u></u>		pplication was filed in the United States Recei	
6. [Application into English (35 U.S.C. 371(c)(2	
7.		: International Application under PCT Article	
-		n (required only if not transmitted by the Intern by the International Bureau.	national Bureau).
1		wever, the time limit for making such amends	nents has NOT expired.
1	d. have not been made and		•
8.	— <u>—</u>	to the claims under PCT Article 19 (35 U.S.C	C. 371(c)(3)).
9. 😧	An oath or declaration of the inv		
10.	A translation of the annexes to the (35 U.S.C. 371(c)(5)).	e International Preliminary Examination Rep	ort under PCT Article 36
Ytome:	11. to 16. below concern docume	nt/o) on information included.	
11. X		ment under 37 CFR 1.97 and 1.98.	
11.	All infolliation disclosure states	ment under 37 CFR 1.97 and 1.98.	
12.	An assignment document for rec	ording. A separate cover sheet in compliance	with 37 CFR 3.28 and 3.31 is included.
13.	A FIRST preliminary amendmen		
	A SECOND or SUBSEQUENT	oreliminary amendment.	
14. 🗶	A substitute specification.		
15.	A change of power of attorney ar	nd/or address letter.	
16.	Other items or information:		
}			
1		•	
1			
l			

U.S. APPLICATION OF THE	nown see 7 CER has	INTERNATIONA				• •	ATTORNEY'S DOCK	ET NUMBER
<u> </u>	889124	PCT/	ÐK	<u>00/00088</u>	3	CAI	CULATIONS	PTO USE OVE V
17. The follo	owing fees are submitte	:d:				CAI	COLATIONS	PTO USE ONLY
BASIC NATIONA	AL FEE (37 CFR 1.492	(a) (1) - (5))	:					
Neither interna	ational preliminary exam	nination fee (37 CFR	1.482)				
nor internation	nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO \$970.00							
i i								
International preliminary examination fee (37 CFR 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO \$840.00								
International preliminary examination fee (37 CFR 1.482) not paid to USPTO								
International p	oreliminary examination nal search fee (37 CFR 1	1 1ee (3 / CFK	. 1.482) aid to U	not paid to US ISPTO	\$760.00	1		
						[
International p	oreliminary examination did not satisfy provision	i fee paid to C	icle 33((37 CFR 1.462)	, \$670.00			
· ·	preliminary examination					•		l
and all claims	satisfied provisions of	PCT Article 3	3(1)-(4))	\$96.00			1
	ENTER APPR					S		
						 		
Surcharge of \$130	0.00 for furnishing the c	ath or declar	ation lat	er than 20	30	\$		1
months from the	earliest claimed priority					-		<u> </u>
CLAIMS	NUMBER FILED		JMBER	EXTRA	RATE	 		
Total claims	∨ -20	=			X \$18.00	\$		ļ
Independent claims	-3				X \$78.00	S		·
MULTIPLE DEPI	ENDENT CLAIM(S) (if a				+ \$260.00	S		
	TOTA	L OF AB	OVE (CALCULAT	TIONS =	\$		
Reduction of 1/2	for filing by small entity	y, if applicabl	le. A Sπ	iall Entity State	ement	\$	700	
must also by filed	Reduction of 1/2 for filing by small entity, if applicable. A Small Entity Statement must also by filed (Note 37 CFR 1.9, 1.27, 1.28).							
				SUBT	OTAL =	\$	355	
Processing fee of	\$130.00 for furnishing	the English to	ranslatio	on later than	20 30	S		
months from the	earliest claimed priority	date (37 CFI	R 1.492	(f)).	_ +			
		7	ГОТА	L NATION	AL FEE =	\$	355	
Fee for recording	the enclosed assignmen	nt (37 CFR 1.	21(h)).	The assignmen	nt must be	s		
accompanied by	an appropriate cover she	eet (37 CFR 3	3.28, 3.3	1). \$40.00 per	property +			
		TO	TAL	FEES ENC	LOSED =	S	355	
		,				An	nount to be:	S
						<u> </u>	refunded	\ <u>\</u>
							charged] 3
700	k in the amount of \$_	755	**	cover the abov	ve fees is enclos	ed		
a. X A chec	K in the amount of $\Phi_{}$			COVEL THE BOO	10 1003 13 0110100			
								_
b. Please	charge my Deposit Acc	ount No		in the	amount of \$		to co	ver the above fees.
	icate copy of this sheet							
c. The Co	ommissioner is hereby a	uthorized to o	charge a	ny additional f	ees which may	be requ	uired, or credit	any
overpa	yment to Deposit Accou	int No		A duplica	te copy of this s	ineet is	enciosea.	
	_							vivo (37 CFP
NOTE: When	re an appropriate time	limit under anted to rest	37 CFF	l.494 or 1.49 application to	5 nas not been nending statu	met, a S.	petition to re	VIVE (57 CFR
1.137(a) or (b)) must be filed and granted to restore the application to pending status.								
							. 11/4	
SEND ALL CORRESPONDENCE TO:								
Hans H.	Hans H. Haraldsted SIGNA				TURE:			
Ellegaardspark 19, Postbox 107 Ha			ns	H.Harald	Isted			
DK 352o Farum , Denmark								
DK 3320	rarum • Deum	aik						
					REGIS	TRATIO	N NUMBER	

PTO/SB/09 (12-97)
Approved for use through 9/30/00. OMB 0651-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

STATEMENT CLAIMING SM 37 CFR 1.9(f) & 1.27(b))-IN		Docket Number (Optional)
Applicant, Patentee, or Identifier:	Hans H.Haraldsted	
Application or Patent No.:	CT/DK oo/ooo88	
FiledorIssued:		
Tite: <u>Method and appa</u> liquid in an ul	eratus for continuous Ltrasound champer	homogenising of
As a below named inventor, I her for purposes of paying reduced for	eby state that I qualify as an independe ses to the Patent and Trademark Office	ent inventor as defined in 37 CFR 1.9(c) e described in:
the specification filed here	with with title as listed above.	
x the application identified a	bove.	
X the patent identified above	€.	
grant, convey, or license, any right under 37 CFR 1.9(c) if that person	ts in the invention to any person who wo	obligation under contract or law to assign, uld not qualify as an independent inventor oncern which would not qualify as a small or 37 CFR 1.9(e).
Each person, concern, or organi obligation under contract or law	zation to which I have assigned, grante to assign, grant, convey, or license any	ed, conveyed, or licensed or am under an y rights in the invention is listed below:
No such person, concer	n, or organization exists.	
X Each such person, cond	cern, or organization is listed below.	
RESON A/S		
(A small firm	with about 50 employ	ees)
Separate statements are require stating their status as small enti	d from each named person, concern, or ties. (37 CFR 1.27)	organization having rights to the invention
entitlement to small entity statu	is prior to paying, or at the time of pa	of any change in status resulting in loss of ying, the earliest of the issue fee or any no longer appropriate. (37 CFR 1.28(b))
Hans H.Haraldsted		
NAME OF INVENTOR	NAME OF INVENTOR	NAME OF INVENTOR
Signature of inventor	Signature of inventor	Signature of inventor
19 July, 2001 Date	Date	Date

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO. Assistant Commissioner for Patents, Washington, DC 20231.

Hans H. Haraldsted

Ingeniør- og Handelsfirma ®



JC18 Rec'd PCT/PTO 2 0 JUL 2001

US PATENT OFFICE

Washington DC. 20.231 USA

Farum, 19 July 2001

Ref.:

Entry into the national phase before US,-

Continuing of our PCT appl. no. -PCT/DK 00/ 00088

We allow us by this to continue our PCT –application after 30 months from our date, where we first applied our invention.

We have got an search report from the Danish Patent Office, where they told us that we can get patent on our invention. Copy of this document is enclosed.

We have also got a search report from PCT in Sweden, where they also told us that we can get patent. And finally have we also got an international search report, which also tell us that we can get a patent. Copy of these documents are also enclosed.

We have been informed via the Danish Patent Office that the totally fee we must pay as a small inventor is \$ 355.

We have enclosed a crossed check on the amount.

According to a searching fee can we see that this search fee is annulled 100 %, if the international searching has taking place in Sweden.

If US Patent OFFICE has another meaning about this, please contact us in writhing (e-mail/Fax) as soon as possible.

Yours faithfully

Hans H. Haraldsted (inventor and applicant)

Enclosure.:

Filled form PTO 1390, and statement of small entity status

Patent-document with drawings

Crossed check

Copy of searching reports

20

25

Method and apparatus for an optimum integrated process of homogenising

The invention relates to a method as an apparatus for continuous homogenising or emulsification of liquid, where the liquid in a ultrasound chamber with lamellas or guiding plates, especially placed on the outer walls of the chamber, but also possibly with a place in the area up to this, can be submitted to a cinematic- mechanical treatment, as an example by stirring, and with an continuous stream, which subsequently is guided over the surface of several ultrasound generators.

Hitherto has it according to the US patent no. 3.614.069 been known to use ultrasound for emulsification or mixing by using varying frequencies and intensity.

The disadvantage has here been that every single ultrasound transducer has been overloaded too much by and with a continuous and simultaneous driving of the whole arrangement of ultrasound transducers, why every single generator has not been able to drive with an optimum yield, and with this, with an optimum effect.

Another disadvantage by the American system according to US. Patent no. 3.614.069 is that it there by the mentioned construction and drifting method is unable to create or induce cavitation by high pressure, which just is known as the working conditions, which our actually invention optimum will be able to work under and by this generally our force of the invention.

Hitherto have there also according to the German patent no. 14.44.377 been known to use apparatus, where lamellas are mounted direct on the outer wall for bettering a mechanical stirring.

The disadvantage by this stationary system has especially been that the plates of the lamellas or the baffles only have been working as break for forced liquid stroking streaming. Where there in front and around these baffles then have been made an indirect mixing and a partial emulsification.

15

30

Has there then further, as mentioned in the German patent, been mounted horizontal laying plate rings, then will this arrangement restrain a necessary continuous flow of liquid down to the active surfaces of the ultra sound generators.

The purpose with the invention is to show a method as an apparatus of the in the beginning mentioned sort, as one now by this obtains, to be able to higher and essential better the given effect, for one by this optimum formed emulsion and homogenising of the actually liquids or viscous materials, which continuous have been guided to a mixer chamber. In the same time one obtain also not less to be able to drive the cavitation under very high pressure in the actually ultrasound chamber.

According to the invention, this can be obtained respectively by a driving form for ultra sound transducers, and by the establish dynamic-physical state of the lamellas, and characteristic of, that a majority of transducers are driven in displaced succession, while at least in change one transducer is in rest, as that the lamellas during work can be given a rotating movement.

Conserning to the ultrasound heads the function of invention will be shown under the driving. As one via our invention and the method for a specified transducer head can use higher effect than earlier known by "normally" driving, where one drive continuously. As one according to method and the invention by driving continuous let one ultrasound head of a quantity rest in shift.

There has by this been obtained that the ultrasound head can cool down, before its critical temperature for destruction has been reached. Another advantage is also that the ultrasound head and its electrical resistence is lowering by cooling, why there further also here has been obtained an advantage. Among other things that one now can couple as drive the ultrasound heads more stabile, inside a lesser range of temperature.

15

20

25

30

A further advantage is also that one, by continuous shift between the heads, further can obtain a higher degree of efficiency of the arrangement. As a shift and stop will change the condition of cavitation, so that the cavitation or emulsification can be more effective or maintain optimum driving in the liquid.

In a specially embodiment of the arrangement, according to the invention, then can one further increase the cavitation as emulsification of the liquid by driving the system under conditions of working, with or under extreme high pressure of working, as an example 16 bar, and with time of stay of the premix in the field of ultrasound on ideal about 20-25 seconds. -Where one so in the same time here in or on every single transducer further use pulsing signals of ultrasound, with essential higher maximum impulses, which are higher here than the actually transducer would allow by a continuous driven.

There has here been obtained that the system can be driven under very adverse conditions of cavitation, which the high pressure, as the generally short time of working, has been given. And in the same time with condition, with pulsing ultrasound signals, with higher maximum impulse obtain to be able to get an extreme large effect of cavitation, and with this an optimum emulsification as homogenisation of the liquid in the chamber of the mixing.

In another specially embodiment of the arrangement according to the invention, then work the system in the mixing chamber with homogenisation as emulsification, with a working pressure on about 16 bar, and with pulsing ultrasound signals, with higher maximum pulses, than every single transducer by continuous driven can hold. And with further a running resting/driving function, mentioned "rif" of the transducers, and with also one in the same time pulsing driving or working between 15-120 kHz, or on an ideal working situation on between 20-50 kHz, for a flow of liquid on ideal 4000 litres pr. hour.

There have here been obtained that the driving or working in or with the mentioned limits of frequencies, and within the mentioned way to drive,

15

20

25

optimise and make it possible for a continuous homogenising as emulsification of generally specific flows of liquids or quantities of liquid mass in an actually size of mixing chamber.

In another specially embodiment of the arrangement according to the invention, then can one let the lamellas rotate.

One obtain by this further a cavitation effect, which come from the stroke of the liquid against the rotating single lamella or lamella ring or from similar arrangement. As the speed of the liquid further by the stroke has been accelerated / decelerated dependent of the direction of the rotating as the point of the stroke.

In another embodiment of the arrangement according to the invention, then can further one in the same time rotation be obtained of both the rings of the lamellas, which hold the single lamellas. And the lamellas can also be brought to rotate around its own axle.

One obtain further by this an effect of homogenisation. Which specially could be intensified by the choice of direction of rotating, and the speed of the rotating of the lamellas and the ring itself. And this could even be opposite of each other, or with different speed of rotating.

In another embodiment of the arrangement according to the invention, then can further the effect of emulsification be further increased of, - via that shape of the rotating lamellas have been twisted as a spiral in the length direction of the lamella itself.

One have by this then obtained that the returning stroke of the liquid from the rotating lamella, and seen from the direction of length, then do not get the same picture in the cut or section of length. And in the same time, the liquid will not only be thrown horizontal out, but it will be thrown in slanting direction according to the pitch of the shape of the spiral of the single lamellas itself. And because of the lamella rotate, then will the next quantity

of liquid take another, direction. Why an optimum emulsification by this treatment has been obtained.

- The invention shall after this be explained in the following under reference to the drawing, where
- Fig.1 shows in perspective a ultrasound chamber for homogenisation as emulsification of liquid, with guiding plates and driving or working of the ultrasound transducers in displaced order,-
 - Fig.2 shows a ring of lamella- or guiding plates, which rotate together or jointly around or in the centre axle of the ultrasound chamber,-
 - Fig.3 shows in perspective and seen from the side a single vertical lamella-or guiding plate, which rotate around itself,-
- Fig.3B shows a single rotating lamella-or guiding plate as Fig.3, but seen from upper, and
 - Fig.4 shows a picture of pulsing guiding ultrasound signals.
- 25 Fig.1 Shows in perspective a ultrasound chamber **1** for homogenisation as emulsification of liquid(s) **I as II**, with guiding plates **2** and working or driven of ultrasound transducers **4** which self each and together work in displaced order.
- The figure shows an example of an embodiment with vertical placed chamber 1 or boiler 1, which self also in the same time make a pressure safe chamber of mixing 1.

4.

25

From above in the mixing chamber 1 according to the figure (Fig.1) can there ideally as an example be lead liquid respectively I as II, as one want mixed and homogenised for a total leaving mix 8, as an example an emulsion 8. The liquids I as II, which in the example of embodiment have been supplied from above in the chamber of mixing 1, will immediately after this be influenced of an arrangement of wheel of scoop 3. Where the just now partly mixed liquid I as II via the wheels of scoops 3 will be thrown against the guiding plates 2, and in the same time, because of the liquids I as II continuous have been supplied from above via supply lines,- then will the partly homogenised liquid be led against the bottom of the chamber 1 to the exhauster pipe 8, and to continued treatment via the ultrasound transducers

The ultrasound arrangement **4** can as shown on the figure ideal as an example consist of four ultrasound transducers **4.** Which as an example could work in the field from 18-120 kHz, but still as here ideal as an example in the field from 20 -50 kHz.

An ideal cycle of mutual working operation for the transducers **4** will be by a continuous mutual changing **5** as "rif" **5** between these. So that some of the transducers **4** drive, and other transducers **4** do not drive.

As an example with that one drive or work with three transducers 4 at a time, and so successive working or driving of the common system of the transducers 4. As an example by turning or shift one transducer 4 ahead in the common transducer system, and as an example and alternative by turning or shift 5 against the watch. And as an example ideal by driving three transducers 4 at a time. Where for that matter the one transducer 4 continuous in its "rif" 5 or changing will be new.

The advantages by this driving form **5** will be that one will lower the effect of the "cross-talk". Which will say that the transducers **4** works as receiver of mechanical energy there have been transformed to electrical energy. And in

15

such a way end as heat in the electrical generators there drive the transducers 4.

With the shown special shift or operation **5** and according to the invention, so give this driving form **5** a possibility to regular cooling of the transducers **4.** And this will make a better stability of the impedance as the resonance effect of the whole system. And moreover this driving form **5** or working form **5** will extend the living time of total the equipment **4.**

By further driving the transducers 4 with a pulsing cavitation 7, then you obtain in addition an optimal and total homogenising of the to the mix-chamber 1 supplied liquids I as II and even fluid mass too. As one then, qua this method 7, by a pulsing cavitation combined with a "rif"- driving of the transducers itself, and under high working pressure as an example 16 bar obtain to make an extreme dense or homogenous field of cavitation. And then where this field can be maintained of the following "week" signals 10.

- Fig.2 shows a ring of lamellas -or guiding plates **2**, which rotate **9** together or joint around/in the centre axle of the ultrasound chamber **1**.
- The system 2 could consist of as an alternative several rotating 9 ring systems or rims 9' with vertical sitting plates of lamellas-or guiding plates 2. Where these 2 or the rims 9' then perhaps alternative ideal could drive or work opposite each other 2, as 9', or perhaps with different speed or both working operations in combination.

When the plates of lamellas or guiding plates 2 rotate 9, then will this cause an extra mixing of the supplied liquids I as II. And especially if the supplied liquids I as II in advantage already have been blended by an arrangement of paddle wheels 3 in the middle of mix-chamber 1.

Fig.3 shows in perspective and seen from the side a single vertical lamella-or guiding plate **2**, which rotate around itself.

30

The arrangement **2** could of cause also be combined with the system, which is shown in Fig.2.

The system will especially has an extra effect, if the system turn opposite of, what the arrangement of middle rings system **3** do.


Fig.4 shows a picture of a pulsing 7 ultrasound signal 10, which drive or work as a whole. And which drive as a part of the "rif"- driving of the ultrasound transducers 4, namely in a displace succession 5, with one transducer 4 in rest, by which there, by this summing up driving, has been obtained a specially effect namely a "synergi"-effect, in the effectiveness of the total effect of homogenising. And which effect therefore is larger than one logical could think, with or by every one of the single section-operations or working forms 5 as 7, "looked" driven for itself and without the other working form as supplement.

Claims

- 1. Method for continuous homogenising or emulsifying of liquids (I as II), where the liquid (I as II) in a ultrasound chamber (1) with lamellas (2) or guiding plates (2), especially placed in the outer edge or wall of the chamber (1), -but also fields up to this,- have been submitted a cinematic treatment as an example by stirring or mixing(3),- and where the liquids (I and II) in a continuous stream has been guided past the surface on more generators of ultrasound transducers (4), charateristic of, that a majority of ultrasound transducers (4) drive or work in a displaced succession (5), with a least one transducer (4) in change, and which in the same time is in rest.
- 2. Ultrasound apparatus for continuous homogenising according claim 1, c h a r a t e r i s t i c of, to be able to increase the cavitation as the emulsifying of the liquid (I as II), by driving the system under conditions of working with or under extreme pressure of working ideal as an example 16 bar, and with delaying times on ideal about 20-25 seconds, and where one or you in the same time on each single transducer (4) use pulsing ultrasound signals (7) with essential higher maximum impulses (10), which are higher (10) than the actually transducer (4) would allow under a continuous drift.
 - 3. Ultrasound apparatus for continuous homogenising according to claim 1 as 2, **c h a r a t e r i s t i c of**, that one drive the pulsing ultrasound signals (7) as resting/driving functional -"rif" (5), and with one in the same time frequency (10') on between 15-120 kHz, or ideal normally on between 20-50 kHz.
- 30 4. Ultrasound apparatus for continuous homogenising according claim 1, charateristic of, that the lamellas (2) in the mixing chamber (1) under drift can be given a rotation movement or stirring (9).

- 5. Ultrasound apparatus for continuous homogenising according to claim 1, c h a r a t e r i s t i c of, to have one as several rings of lamellas (9') in the mixing chamber (1), which can rotated (9) around itself or themselve, alternative to have one as more rings of lamellas (9'), where every single lamella (2) can rotate around itself, and as alternative an embodiment, where one can combine both rotation systems together.
- 10 6. Ultrasound apparatus for continuous homogenising according to claim 1, **charateristic** of, that every lamella (2) or single of them, in the mixing chamber (1), in itself can be made twisted or made in a shape of spiral or in a like embodiment or shape.

Fig.1








Fig.3





Fig.4



DECLARATION: INVENTORSHIP (only for the purposes of the designation of the United States of America) Box No. VIII (iv) The declaration must conform to the following standardized wording provided for in Section 214; see Notes to Boxes Nos. VIII, VIII (i) to (v) (in general) and the specific Notes to Box No.VIII (iv). If this Box is not used, this sheet should not be included in the request.

for the purposes of the designation of	: 4.17(iv) and 51bis.1(a)(iv)) I the United States of America:
I hereby declare that I believe I am the original, first and sole (if only of is listed below) inventor of the subject matter which is claimed and for	or which a patent is sought.
This declaration is directed to the international application of which i	it forms a part (if filing declaration with application).
This declaration is directed to international application No. PCT/ DK to Rule 26ter).	
I hereby declare that my residence, mailing address, and citizenship a	
I hereby state that I have reviewed and understand the contents of the of said application. I have identified in the request of said application, and I have identified below, under the heading "Prior Applications," Organization, day, month and year of filing, any application for a paten States of America, including any PCT international application designs having a filing date before that of the application on which foreign p	by application number, country or Member of the World Trade at or inventor's certificate filed in a country other than the United ating at least one country other than the United States of America, or iority is claimed.
Prior Applications: PA 1999 Q (5 March 1	296(Denmark)
1 hereby acknowledge the duty to disclose information that is k 37 C.F.R. § 1.56, including for continuation-in-part applications, mate of the prior application and the PCT international filing date of the	known by me to be material to patentability as defined by crial information which became available between the filing date
I hereby declare that all statements made herein of my own knowledge are believed to be true; and further that these statements were made made are punishable by fine or imprisonment, or both, under Section false statements may jeopardize the validity of the application or any	e are true and that all statements made on information and belief with the knowledge that willful false statements and the like so 1001 of Title 18 of the United States Code and that such willful y patent issued thereon.
Haraldsted, Hans H.	
Residence: Ellegaardspark 19, DK-3520	Farum, Denmark
(city and either US state, if applicable, or country)	,
(city and either US state, if applicable, or country) Mailing Address: Flleggardspark 19, Postbox	lo7 /
Mailing Address: Ellegaardspark 19, Postbox	107
Mailing Address: Ellegaardspark 19, Postbox	107
Filenaardsmark 19. Postbox	107
Mailing Address: Fllegaardspark 19, Postbox DK-3520 Farum, Denmark Citizenship: Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 261er after the filing of the international application. The signature must be that of the inventor, not that of the agent)	Date: 28 Aug. 2001 (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)
Mailing Address: Fllegaardspark 19, Posthox DK-3520 Farum, Denmark Citizenship: Danish Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 261er after the filing of the international application. The signature must be that of the inventor, not that of the agent) Name: Residence: (city and cither US state, if applicable, or country)	Date: 28 Aug. 2001 (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)
Mailing Address: Fllegaardspark 19, Postbox DK-3520 Farum, Denmark Citizenship: Danish Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of the agent) Name: Residence: (city and either US state, if applicable, or country) Mailing Address:	Date: 28 Aug. 2001 (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)
Mailing Address: Fllegaardspark 19, Postbox DK-3520 Farum, Denmark Citizenship: Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 261er after the filing of the international application. The signature must be that of the inventor, not that of the agent) Name: Residence: (city and cither US state, if applicable, or country) Mailing Address:	Date: .28 Aug. 2001 (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)
Mailing Address: Fllegaardspark 19, Postbox DK-3520 Farum, Denmark Citizenship: Danish Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of the agent) Name: Residence: (city and either US state, if applicable, or country) Mailing Address:	Date: .28 Aug. 2001 (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)
Mailing Address: Fllegaardspark 19, Postbox DK-3520 Farum, Denmark Citizenship: Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 261er after the filing of the international application. The signature must be that of the inventor, not that of the agent) Name: Residence: (city and cither US state, if applicable, or country) Mailing Address:	Date: .28 Aug. 2001 (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application)
Mailing Address: Fllegaardspark 19. Postbox DK-3520 Farum Denmark Citizenship: Danish Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of the agent) Name: Residence: (city and either US state, if applicable, or country) Mailing Address: Citizenship: Inventor's Signature: (if not contained in the request, or if declaration is corrected or added under Rule 26ter after the filing of the international application. The signature must be that of the inventor, not that of	Date: . 28 Aug. 2001 (of signature which is not contained in the request, or of the declaration that is corrected or added under Rule 26ter after the filing of the international application) Date:

This declaration is continued on the following sheet; "Continuation of Box No. VIII (iv)".